



The complete Peeters System:

**flight scheme
moultng scheme
breeding schedule**



1. Sunday: (day of arrival)

Recuvit-Forte:

- 1 bag of Recuvit Forte/1.5 litre water
- 1 tablespoonful (15ml) of grape-sugar
- Easy race: leave the water in the loft for 1 day.
- Difficult or bad race: leave the water in the loft until the next day.

Eye and nose drops:

- **Easy race:**
 - Pigeons that are wounded in the eyes
 - Pigeons with wet eyes
 - Pigeons that arrive late
 - Pigeons that are very tired
- **Difficult or bad race:**
 - Treat all the pigeons

Forced warm bath: (only with a small racing team)

- makes the pigeons recuperate faster
- keeps the widowers in good condition much longer

2. Monday:

Pigeon tea:

- Put 1 tablespoonful of tea in 1 litre of boiling water, let infuse, filter and dilute with 3 litres of water.
- **Exception:** long distance pigeons don't get tea during the racing season.

3. Tuesday:

Bath:

1 tablespoonful of salt and 1 tablespoonful of vinegar, or bathsalt per 10 litres of water. When the widowers have had a forced bath on Sunday, they get another bath on Thursday. Please pay attention with widowers who refuse to take a bath, this is often a sign of bad condition or of a beginning infection. A consultation is recommended.

Food scheme:

- 1 tablespoonful of B.M.W. (bearyeast, milkyeast, wheatflakes)
 - 1 tablespoonful of Amino Acids
 - 1 tablespoonful of special pigeon oil (mix of 9 kinds of oil)
 - 1 aspartate-combination (red vial)
- Mixed per 1 kg of food, Tuesday evening. Add the Amino Acids and red vial to the food and let it infuse. Add the oil and the B.M.W.

4. Wednesday:

On Wednesday evening the same food scheme as on Tuesday evening.

5. Day before basketing:

- 1 tablespoonful of racing vitamins
 - 1 tablespoonful of B.M.W. mixed per 1 kg of food (1x day)
- Preferably to be prepared the evening before.



6. Day of basketing:

Eye and nose drops:

- 1 drop in each eye and each nostril

Remark: when the drop does not disappear quickly, give this pigeon the drops 2 to 3 times the next week.

7. Canker treatment (trichomoniasis treatment):

A) Tricho powder (green):

3-day treatment every month (Sunday, Monday and Tuesday).

On Sunday together with grape-sugar, on Monday and Tuesday with condition powder and grape-sugar. The water must be ready at hand on arrival.

The widowhood hens must be included in the treatment. On that Sunday no Recovit Forte and on Monday no tea should be given.

or

B) Tricho liquid: (only for racing pigeons)

Liquid antitricho medicine enriched with substance that stimulate the recuperation and with plant extracts (to heighten the stamina).

Dose: 3cc Tricho liquid + 7cc water directly into the crop after the flight.

Every week or every two weeks.

8. T.R.S. (small yellow capsules):

Sick pigeons: (rattle, black nose, wet eyes, bad droppings...)

- 1 capsule in the morning and in the evening until the pigeon is cured

Lack of form: (good pigeon that didn't win prize)

- 1 capsule in the evening the day before basketing

9. A.S.D. (small red capsules):

- 1 capsule the day of basketing in the morning for long distance races (400Km.)

10. Condition Powder:

Young birds:

- every week 2 days at the beginning of the week.

Other birds:

- when form is decreasing or when it is difficult to get the pigeons in good form.
- 2 days at the beginning of the week. Please refresh the water 2x a day.



11. E.G.S. Powder:

Respiratory diseases and bad condition:

- 1 teaspoonful of E.G.S. powder
 - 2 tablespoonful of grape-sugar
- together in 2 litres of water.

Fulltreatment 5 days.

During the racing season: give 2 days at the beginning of the week, then don't give any condition powder.

12. Long distance races (more than 400 km):

- 1 teaspoonful of condition powder
 - 2 A.V.-capsules
- together in 1 litre of water, Monday and Tuesday.
This mix of minerals gives a better endurance.

13. Powder for the youngsters:

- 10 days after the weaning you give this powder during 4 days.
Dose: 1 spoonful (5gr) per litre of water.
- If Adeno-symptoms occur (as there are : lack of appetite, vomiting, bad digestion, bad excrements...) you give the same dose as above till the recovery
- 2 weeks before start of the youngster-season: Treatment during 5 days.

14. PF-drops:

This product improves the general condition of the pigeon as well as their resistance. These drops give the pigeons a stronger desire to fly.

Dose: 10 drops per 1 litre of water for a whole week. The week after no drops should be given. The third week you should give drops as it was given in week n° 1.

You should give these drops every other week, during the whole season.

The PF-drops can be given in combination with any other medicine.

15. Herb powder:

- Indication: symptomatic treatment of bad droppings.
When there are Adeno-symptoms, such as lack of appetite, vomiting, bad digestion, bad excrements. You can mix the herb powder with the youngster-powder.
- Dose: 1 spoonful (5gr) per kg of food, together with amino acids and B.M.W.
- During 3 to 5 days.



Long distance races

At about 14 days before the basketing:

- Give treatment of anti-tricho during 3 days.

Then if there are any complaints of the respiratory tract you give the E.G.S. powder during 3 days. Usage: see the flight scheme.

One week before the basketing:

- 1 teaspoonful of condition powder
 - 2 A.V.-capsules
- together in 1 litre of water, for 2 days,

3 days before the basketing:

The same way as in the food scheme:

- 1 tablespoonful of B.M.W.
 - 1 tablespoonful of Amino Acids
 - 1 tablespoonful of special pigeon oil
 - 1 red vial (aspartate-combination)
 - 1 tablespoonful of racing vitamins
- mixed per 1 kg of food, one meal a day.

The day of basketing:

- 1 A.S.D.-pill
- Eye and nose drops

Day of arrival:

- 1 Recuvit Forte
 - 1 tablespoonful of grape-sugar
- Together in 1.5 litre of water. Leave the water for 1 day.

LONG DISTANCE RACES



Moulting scheme

Tea:

Dose:

- Put 1 spoonful of tea in 1 litre of boiling water, let infuse, filter and dilute with 2 litres of water
- 3x a week

Moulting vitamins:

Dose:

- 1 tablespoonful of moulting vitamins in 1 litre of water or 1 kg of food
- 2x a week

Bath:

- 1x a week

Amino acids + pigeon oil + B.M.W.:

Dose:

- Amino acids + pigeon oil + B.M.W.: 1 tablespoonful of each product in 1 litre of water or 1 kg of food
- 2x a week

M O U L T I N G S C H E M E



Breeding schedule

1. Start about 1 month before pairing:

Anti-Para:

- 1 teaspoonful anti-para
- 1 tablespoonful of grape sugar together in 1.5 litre water during 10 days

2. Start about 14 days before pairing:

Breeding vitamins:

- 1 tablespoonful in 1 litre water or in 1 kg of food, 2x a week, during 1 month
- Brewers yeast + pigeon oil: 1 tablespoonful/kg grains 2x a week
- Amino Acid: 1 tablespoonful/kg of food or 1 litre water 2x a week, from the moment the youngsters are hatched

3. When the youngsters are weaned out:

Anti-tricho treatment:

- 1 teaspoonful/1.5 litre water, 7 days during breeding

4. Youngsters at the age of about 2 months:

Vaccinations:

- against Paramyxovirus and pox
- Please consult your veterinarian

Given to:

For personal use only.

bvba PEETERS PIGEONS PRODUCTS INTERNATIONAL



**bvba Peeters
Pigeons Products International**

Molenstraat 111
B-3600 Genk
Tel.: 00-32-89-329065
Fax 00-32-89-329066